

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16017	(VoIP or (voice adj over adj2 (IP or internet or protocol)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 19:17
S2	2612	S1 and "H.323"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:31
S3	8	S2 and request\$4 and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5) with header with information) same (send\$4 or report\$4 or submit\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 18:38
S4	0	S2 and (request\$4 same ((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with header with information) same (send\$4 or report\$4 or submit\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 18:39
S5	14	S2 and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with header with information) same (send\$4 or report\$4 or submit\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 18:40
S6	14	S2 and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with header with information) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:29
S7	41	S2 and (memor\$2 or RAM ROM or stor\$4) and (gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1) or server\$1) and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with header) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:35
S8	27	S7 not S6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 18:51
S9	16129	(VoIP or (voice adj over adj3 (IP or internet or protocol)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:28
S10	359	S2 and (memor\$2 or RAM ROM or stor\$4) and (gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1) or server\$1) and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with (header or information)) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/06/08 13:56
S11	8489	(memor\$2 or RAM ROM or stor\$4) and (gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1) or server\$1) and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with (header or information)) same request\$4 same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 19:17
S12	452	S11 and S9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 19:18
S13	128	S12 and "H.323"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 19:18
S14	95	S13 and @AD<"20030729"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:54

EAST Search History

S15	65	S14 and ((network or IP) adj (address\$2 or identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:33
S16	60	S15 and (geograph\$4 or location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 19:39
S17	55	S16 and (indicat\$4 near6 (information or message))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 20:31
S18	96	S13 and @AD<="20030729"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/26 19:41
S19	16017	(VoIP or (voice adj over adj2 (IP or internet or protocol)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:28
S20	2612	S19 and "H.323"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:28
S21	14	S20 and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with header with information) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:30
S22	16129	(VoIP or (voice adj over adj3 (IP or internet or protocol)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:28
S24	14	S21 and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with header with information) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:37
S25	67034	((((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with (header or information\$1)) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:30
S26	584	S25 and "H.323"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:31
S27	372	S26 and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:31
S28	8489	(memor\$2 or RAM ROM or stor\$4) and (gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1) or server\$1) and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with (header or information)) same request\$4 same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:31
S29	452	S28 and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:31
S30	128	S29 and "H.323"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:38

EAST Search History

S35	235	S27 and @AD<"20030729"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 19:38
S36	2704	(memor\$2 or RAM\$1 or ROM\$1 or DRAM\$1 or stor\$4) and (gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1) or server\$1) and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with (header or information\$1)) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:31
S37	246	S36 and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:33
S38	41	S37 and "H.323"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:33
S40	24	S38 and @AD<"20030729"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:35
S41	16	S40 and (indicat\$4 near6 (information or message))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:34
S42	29943	(memor\$2 or RAM\$1 or ROM\$1 or DRAM\$1 or stor\$4) and (gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1) or server\$1) and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with (header or information\$1)) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:50
S43	1501	S42 and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:33
S44	359	S43 and "H.323"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:33
S45	270	S44 and ((network or IP) adj (address\$2 or identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:34
S46	200	S45 and (indicat\$4 near6 (information or message))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:34
S47	130	S46 and @AD<"20030729"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:34
S48	12	S47 and (memor\$2 or RAM\$1 or ROM\$1 or DRAM\$1 or stor\$4) and (gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1) or server\$1) and (((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) with (header or information\$1)) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5) same (indicat\$4 near6 (information or message)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/28 22:37
S61	3130	(report\$4 near2 (server\$1 or host\$4 or processor or computer or PC\$1)) and (gateway or gate-way or gatekeeper or gate-keeper or (gate adj keeper\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:47

EAST Search History

S62	16043	(VoIP or (voice adj over adj2 (IP or internet or protocol)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:47
S63	355	S62 and S61	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:47
S64	92224	(memor\$2 or RAM\$1 or ROM\$1 or DRAM\$1 or stor\$4) and ((pars\$4 or extract\$4 or devid\$4 or cop\$4 or captur\$5 or strip\$4) same (header or information\$1) same (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:53
S65	108	S63 and S64	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:53
S66	66	S65 and @AD<"20030729"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:54

TH

EAST Search History

(Interference Search)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	4	(packet adj switch\$3) and ((gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1)) and (pars\$4 or extract\$4 or captur\$5 or strip\$4) and (memor\$2 or RAM\$1 or ROM\$1 or stor\$4 or FIFO) and (header or information) and (geograph\$4 or location) and business and (indicat\$4 or ID\$1 or identifier) and (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5)).clm.	US-PGPUB	OR	OFF	2007/06/08 14:08
L9	4	(packet adj switch\$3) and ((gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1)) and (pars\$4 or extract\$4 or captur\$5 or strip\$4) and (memor\$2 or RAM\$1 or ROM\$1 or stor\$4 or FIFO) and (geograph\$4 or location) and business and (indicat\$4 or ID\$1 or identifier) and (header or information) and (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5)).clm.	US-PGPUB	OR	OFF	2007/06/08 14:08
L10	4	(packet adj switch\$3) and ((gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1)) and (pars\$4 or extract\$4 or captur\$5 or strip\$4) and (memor\$2 or RAM\$1 or ROM\$1 or stor\$4 or FIFO\$1) and (geograph\$4 or location) and business and (indicat\$4 or ID\$1 or identifier) and (header or information) and (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5)).clm.	US-PGPUB	OR	OFF	2007/06/08 14:08
L13	4	(packet adj switch\$3) and ((gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1)) and (pars\$4 or extract\$4 or captur\$5 or strip\$4) and (memor\$2 or RAM\$1 or ROM\$1 or stor\$4 or FIFO) and (header or information) and (geograph\$4 or location) and business and (indicat\$4 or ID\$1 or identifier) and (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5)).clm.	US-PGPUB	OR	OFF	2007/06/08 14:10
L14	4	(packet adj switch\$3) and ((gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1)) and (pars\$4 or extract\$4 or captur\$5 or strip\$4) and (memor\$2 or RAM\$1 or ROM\$1 or stor\$4 or FIFO) and (geograph\$4 or location) and business and (indicat\$4 or ID\$1 or identifier) and (header or information) and (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5)).clm.	US-PGPUB	OR	OFF	2007/06/08 14:11
L15	4	(packet adj switch\$3) and ((gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1)) and (pars\$4 or extract\$4 or captur\$5 or strip\$4) and (memor\$2 or RAM\$1 or ROM\$1 or stor\$4 or FIFO\$1) and (geograph\$4 or location) and business and (indicat\$4 or ID\$1 or identifier) and (header or information) and (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5)).clm.	US-PGPUB	OR	OFF	2007/06/08 14:08
L17	2	(packet adj switch\$3) and ((gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1)) and (pars\$4 or extract\$4 or captur\$5 or strip\$4) and (memor\$2 or RAM\$1 or ROM\$1 or stor\$4 or FIFO) and (header or information) and (geograph\$4 or location) and business and indicat\$4 and (ID\$1 or identifier\$1) and (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5)).clm.	US-PGPUB	OR	OFF	2007/06/08 14:10
L18	2	(packet adj switch\$3) and ((gateway\$1 or gatekeeper\$1 or (gate adj keeper\$1)) and (pars\$4 or extract\$4 or captur\$5 or strip\$4) and (memor\$2 or RAM\$1 or ROM\$1 or stor\$4 or FIFO) and (geograph\$4 or location) and business and indicat\$4 and (ID\$1 or identifier\$1) and (header or information) and (send\$4 or report\$4 or submit\$4 or provid\$5 or suppl\$5)).clm.	US-PGPUB	OR	OFF	2007/06/08 14:11

TH